

STATISTICS
BLM and F.S. Grazing Allotments

3 DR

Allotment name THREE BARS (formerly part of the Roberts MTN allotment).

Management jurisdiction

BLM, F.S., Other Circle. If allotment
is managed jointly under one plan, circle participants.

Location of Agency (s)

Region
State NEVADA
Forest
Ranger district
Grazing District - BATTLE MTN
Resource Area - SHOSHONE - EUREKA
Other

Land Ownership or jurisdiction

Acres

BLM 76,400
F.S.
State
F&G Dept.
F&WLS
Other 1760 PRIVATE

Size

Total

Livestock

KIND	NUMBER (HEAD)
Cattle	625
Sheep	2300
Goats	
Other	

Season of Use (Month & Day)

to

Cattle 3/10 - 11/30
Sheep 4/9 - 10/15

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM	PERIOD OF USE (DATES-YEARS)
Continuous	MAR-NOV 1956 to 1970
Rest-Rotation	" 1970 to 1973
Deferred-Rotation + Rest	" 1974 to 1985
Rotation	" to
Other-	" to
Stutter deferred-rotation + Rest	" 1986 TO 1987 → Present

Where system, other than continuous, was terminated after a period of use, give reason for termination.

1970-73 One of three pastures had almost all shade (Pinyon + Aspen + Mahogany) and abundant stock water for late summer use. Cattle would pile near fence to get into pasture with shade and abundant water and when inside, would not come out of pasture with shade, into a pasture with no shade. The pasture with all the trees also had significantly more fence than the other two pastures. Unequal pasture design. (OVER)

Rest-rotation grazing systems used on allotment - Descriptions

1. Present system

4 Number of pastures

Number of pastures:

- 1 a. grazed until seed-ripe and rested thereafter
- 0 b. grazed season-long
- 2 c. rested until seed-ripe and grazed thereafter
- 1 d. rested season-long

2. System that was revised

3 Number of pastures

Number of pastures:

- 1 a. grazed until seed-ripe and rested thereafter
- 0 b. grazed season-long
- 1 c. rested until seed-ripe and grazed thereafter
- 1 d. rested season-long

3. System that was terminated

3 Number of pastures Number of pastures:

- 1 a. grazed until seed-ripe and rested thereafter
- 0 b. grazed season-long
- 1 c. rested until seed-ripe and grazed thereafter
- 1 d. rested season-long

1974-85 This deferred-rotation and rest system was changed in 1985 by dividing the after-Seed-ripe pasture into two pastures to allow use in one pasture after seed dissemination ~~dissemination~~ of the early- and mid-summer maturing grasses (Tinker's needlegrass, Hunker's wheatgrass), ~~allowing~~ ^{detering} ~~rest~~ of the other half until seed dissemination of the late-maturing grasses (Great Basin wildrye).