

STATISTICS
BLM and F.S. Grazing Allotments

Allotment name *COOK Allot.*

Management jurisdiction

BLM, F.S., Other Circle. If allotment
is managed jointly under one plan, circle participants.

Location of Agency (s)

Region
State
Forest
Ranger district
Grazing District *Cedar City*
Resource Area *Beaver River*
Other

Land Ownership or jurisdiction

Acres

BLM *28,184*
F.S.
State *8,297*
F&G Dept.
F&WLS
Other *15,596*

Size

Total

Livestock

KIND *cattle* NUMBER (HEAD) *556*
Cattle
Sheep
Goats
Other

Season of Use (Month & Day) *3-1*

to *2-28*

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM	PERIOD OF USE (DATES-YEARS)		
Continuous		to	to
Rest-Rotation	1971	to	to <i>present</i>
Deferred-Rotation		to	to
Rotation		to	to
Other		to	to

Where system, other than continuous, was terminated after a period of use, give reason for termination.

Rest-rotation grazing systems used on allotment -Discriptions

1. Present system

Number of pastures *Four*

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

2. System that was revised

Number of pastures

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

3. System that was termin@ted

Number of pastures Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

STATISTICS
BLM and F.S. Grazing Allotments

Allotment name *Terrace*

Management jurisdiction

BLM, F.S., Other

Circle. If allotment

is managed jointly under one plan, circle participants.

Location of Agency (s)

Region
State
Forest
Ranger district
Grazing District
Resource Area
Other

Utah

*Cedar City
Dixie*

Land Ownership or jurisdiction

Acres

BLM
F.S.
State
F&G Dept.
F&WLS
Other

4,357

801

Size

Total

5,158

Livestock

KIND

NUMBER (HEAD)

Cattle

31

Sheep

Goats

Other

Season of Use (Month & Day)

3-1

to

2-28

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM	PERIOD OF USE (DATES-YEARS)	
Continuous	to	to
Rest-Rotation	to 3-82	to 2-87
Deferred-Rotation	to	to
Rotation	to	to
Other	to	to

Where system, other than continuous, was terminated after a period of use, give reason for termination.

Rest-rotation grazing systems used on allotment -Discriptions

1. Present system

Number of pastures 4

Number of pastures:

- a. grazed until seed-ripe and rested thereafter /
- b. grazed season-long /
- c. rested until seed-ripe and grazed thereafter /
- d. rested season-long /

2. System that was revised

Number of pastures

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

3. System that was termin@ated

Number of pastures Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

STATISTICS
BLM and F.S. Grazing Allotments

Allotment name *Twin Peaks*

Management jurisdiction

BLM, F.S., Other Circle. If allotment
is managed jointly under one plan, circle participants.

Location of Agency (s)

Region
State *Utah*
Forest
Ranger district
Grazing District *Cedar City*
Resource Area *Dixie*
Other

Land Ownership or jurisdiction

Acres

BLM
F.S. *28836*
State
F&G Dept. *1825*
F&WLS
Other

893

Size

Total

31,504

Livestock

KIND

NUMBER (HEAD)

Cattle

141

Sheep

Goats

Other

Season of Use (Month & Day)

10-1 to *5-31*

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM	PERIOD OF USE (DATES-YEARS)	
Continuous	to	to
Rest-Rotation	to 8-79	to 7-87
Deferred-Rotation	to	to
Rotation	to	to
Other	to	to

Where system, other than continuous, was terminated after a period of use, give reason for termination.

Rest-rotation grazing systems used on allotment -Discriptions

- 1. Present system
 - Number of pastures 3
 - Number of pastures:
 - a. grazed until seed-ripe and rested thereafter /
 - b. grazed season-long
 - c. rested until seed-ripe and grazed thereafter /
 - d. rested season-long /
- 2. System that was revised
 - Number of pastures
 - Number of pastures:
 - a. grazed until seed-ripe and rested thereafter
 - b. grazed season-long
 - c. rested until seed-ripe and grazed thereafter
 - d. rested season-long
- 3. System that was termin@ated
 - Number of pastures
 - Number of pastures:
 - a. grazed until seed-ripe and rested thereafter
 - b. grazed season-long
 - c. rested until seed-ripe and grazed thereafter
 - d. rested season-long

STATISTICS
BLM and F.S. Grazing Allotments

Allotment name *Veyo*

Management jurisdiction

BLM, F.S., Other Circle. If allotment
is managed jointly under one plan, circle participants.

Location of Agency (s)

Region	
State	<i>Utah</i>
Forest	
Ranger district	<i>Cedar City</i>
Grazing District	<i>Dixie</i>
Resource Area	
Other	

Land Ownership or jurisdiction

		Acres
BLM		17,096
F.S.		
State		1,363
F&G Dept.		
F&WLS		
Other		1,945
Size	Total	20,404

Livestock

KIND	NUMBER (HEAD)
Cattle	104
Sheep	
Goats	
Other	

Season of Use (Month & Day) *10-16* to *5-28*

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM	PERIOD OF USE (DATES-YEARS)		
Continuous		to	to
Rest-Rotation	10-1981	to	to 5-1987
Deferred-Rotation		to	to
Rotation		to	to
Other		to	to

Where system, other than continuous, was terminated after a period of use, give reason for termination.

Rest-rotation grazing systems used on allotment -Discriptions

1. Present system

Number of pastures 4

Number of pastures:

- a. grazed until seed-ripe and rested thereafter /
- b. grazed season-long /
- c. rested until seed-ripe and grazed thereafter /
- d. rested season-long /

2. System that was revised

Number of pastures

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

3. System that was termin@ated

Number of pastures Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

* See note at top of Coyote Allotment page.

STATISTICS
BLM and F.S. Grazing Allotments

Allotment name *Cottonwood*

Management jurisdiction

BLM, F.S., Other
Is managed jointly under one plan, circle participants. Circle. If allotment

Location of Agency (s)

Region
State *Utah*
Forest
Ranger district
Grazing District *Cedar City*
Resource Area *Kanab*
Other

Land Ownership or jurisdiction

	Acres
BLM	83998
F.S.	
State	
F&G Dept.	6307
F&WLS	
Other (Pvt.)	770
Size	<hr/>
Total	<i>9,075 acres</i>

Livestock

KIND	NUMBER (HEAD)
Cattle	391 7/78 to 10/85 430 11/85 to Present
Sheep	
Goats	
Other	

Season of Use (Month & Day)

11/1 to 5/31

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM	PERIOD OF USE (DATES-YEARS)		
Continuous		to	to
Rest-Rotation	7/78	to Present	to
Deferred-Rotation		to	to
Rotation		to	to
Other		to	to

Where system, other than continuous, was terminated after a period of use, give reason for termination.

Rest-rotation grazing systems used on allotment - Descriptions

1. Present system

Number of pastures 7 (3 seeded, 4-Native, some emergency use areas)

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- Winter — 3 c. rested until seed-ripe and grazed thereafter
- 2 d. rested season-long
- 2 e. grazed in spring

3 year rotation, each pasture is grazed early one year late one year and rested one year.

2. System that was revised

Number of pastures

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

System revised slightly with each 3yr. rotation. One pasture was added in 11/85, system still rest rotation.

3. System that was terminated

Number of pastures Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

* Coyote was part of Cottonwood Management Area until 1978 when the CMA was divided into Coyote and Cottonwood Allotments. Prior to 1972 (1967-72) only the reserved areas were rest-rotated. 1972-1978 a rest rotation ^{system} was used.

STATISTICS
BLM and F.S. Grazing Allotments

Allotment name Coyote

Management jurisdiction

BLM, F.S., Other
Circle. If allotment is managed jointly under one plan, circle participants.

Location of Agency (s)

Region
State Utah
Forest
Ranger district
Grazing District Cedar City
Resource Area Kanab
Other

Land Ownership or jurisdiction

	Acres
BLM	44141
F.S.	
State	
F&G Dept.	3260
F&WLS	
Other Pvt.	640
Size	
Total	<u>48041</u>

Livestock

KIND	NUMBER (HEAD)
Cattle	292
Sheep	
Goats	
Other	

Season of Use (Month & Day) 11/1 to 5/31

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM	PERIOD OF USE (DATES-YEARS)
Continuous	to to
Rest-Rotation	11/78 to Present
Deferred-Rotation	to to
Rotation	to to
Other	to to

* See note at top of this allotment description.

Where system, other than continuous, was terminated after a period of use, give reason for termination.

Rest-rotation grazing systems used on allotment -Discriptions

1. Present system

Number of pastures 5

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- 4 c. rested until seed-ripe and grazed thereafter (winter)
- 1 d. rested season-long

2. System that was revised Same basic rotation w/ all revisions.

Number of pastures Revisions were fine tuning.

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

3. System that was termin@ted

Number of pastures Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

STATISTICS
BLM and F.S. Grazing Allotments

Allotment name Headwaters

Management jurisdiction

BLM F.S., Other Circle. If allotment
is managed jointly under one plan, circle participants.

Location of Agency (s)

Region
State Utah
Forest
Ranger district
Grazing District Cedar City
Resource Area Kanab
Other

Land Ownership or jurisdiction

Acres

*BLM 249,059
F.S.
State 31,020
F&G Dept.
F&WLS
Other (Pvt) 16,540

Size

Total 296,669 acres

Livestock

KIND

NUMBER (HEAD)

Cattle Summer = 344 Spring = 577 Winter = 714
Sheep
Goats
Other

Season of Use (Month & Day) Summer = 5/1 to 9/30

Spring = 5/1 to 6/10

Winter = 11/1 to 3/31

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM	PERIOD OF USE (DATES-YEARS)		
Continuous		to	to
Rest-Rotation	12/67	to Present	to
Deferred-Rotation		to	to
Rotation		to	to
Other		to	to

Where system, other than continuous, was terminated after a period of use, give reason for termination.

Rest-rotation grazing systems used on allotment -Discriptions

1. Present system

Number of pastures 15 in 3 different rotations (4 more minor pastures not counted.)

Number of pastures:

- 4- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- 2 c. rested until seed-ripe and grazed thereafter
- 3 d. rested season-long - year long
- 6 e. grazed in winter (11/1 - 3/31)

2. System that was revised

Number of pastures

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

Slight revisions made after most rotations. 3yr.
 Same basic system of rest rotation continued consistently. Fine tuned when necessary

3. System that was termin@ated

Number of pastures Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

STATISTICS
BLM and F.S. Grazing Allotments

Allotment name *SWALLOW PARK*

Management jurisdiction

BLM, F.S., Other Circle. If allotment
is managed jointly under one plan, circle participants.

Location of Agency (s)

Region

State *UTAH*

Forest

Ranger district

Grazing District ~~*CEDAR CITY*~~

Resource Area *KANAB*

Other

Land Ownership or jurisdiction

Acres

BLM *15120*
F.S.
State *1159*
F&G Dept.
F&WLS
Other *PRIVATE 1201*

Size

Total *17480*

Livestock

KIND

NUMBER (HEAD)

Cattle

164

Sheep

Goats

Other

Season of Use (Month & Day)

5-1 to 11/22

STATISTICS (Cont'd) .

Grazing systems used on allotment since allotment established.

SYSTEM PERIOD OF USE (DATES-YEARS)

Continuous	to	to
Rest-Rotation	to	to
<i>4 PASTURE</i> Deferred-Rotation	<i>4/1</i> to <i>11/30</i>	<i>1970</i> to <i>1973</i>
Rotation	to <i>11/30</i>	to <i>1983</i>
<i>5 PASTURE</i> DEFERRED Other	<i>4/16</i> to	<i>1976</i> to

Where system, other than continuous, was terminated after a period of use, give reason for termination.

Rest-rotation grazing systems used on allotment -Discriptions

1. Present system *COMBINED REST ROTATION AND AFTER SEED RIPLE*
 Number of pastures *SEE ATTACHED MAP FOR SEQUENCE*

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

2. System that was revised

Number of pastures

Number of pastures:

- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long


3. System that was termin@ated

Number of pastures Number of pastures:


- a. grazed until seed-ripe and rested thereafter
- b. grazed season-long
- c. rested until seed-ripe and grazed thereafter
- d. rested season-long

TABLE 9
Grazing Sequence


Year 1
(1985)




Year 2
(1986)



Year 3
(1987)



Year 4
(1988)



STATISTICS
BLM and F.S. Grazing Allotments

Allotment name *VERMILION*

Management jurisdiction

BLM, F.S., Other
Is managed jointly under one plan, circle participants. Circle. If allotment

Location of Agency (s)

Region
State *UT*
Forest
Ranger district
Grazing District *CEDAR CITY*
Resource Area *KANAB*
Other

*SEE ATTACHED COPIES
OF AMP'S FOR
REQUESTED INFO.*

Land Ownership or jurisdiction

Acres

BLM
F.S.
State
F&G Dept.
F&WLS
Other

Size

Total

Livestock

KIND

NUMBER (HEAD)

Cattle
Sheep
Goats
Other

Season of Use (Month & Day)

, to