

## SUBJECT INDEX FOR IJS VOLUMES 1-6 (1995-2000)

acetylcholinesterase: 1:1-15  
adrenocorticotropin: 1: 29-36  
algae: 2(2):17-26  
amphibians: 4:33-49  
arginine vasopressin: 1: 29-36  
*Artemisia cana*, see silver sagebrush  
aspen: 6:49-55  
**Aquatic ecosystems:**  
    cover, 6:232-248  
    macroinvertebrates: 6:178-196  
    macrophytes, 6:249-262  
    habitat, 3:125-130, 6:178-196,  
        6:232-248  
    sedimentation, 6:232-248  
    avian assemblages: 5:1-11, 6:33-48  
    bald eagle: 1:1-15  
**Bears:**  
    grizzly bear, 3:17-37  
beaver: 3:11-16  
behavior: 3:55-61  
benthos: 3:11-16  
bighorn sheep: 6:339-354  
biculturalism: 3:131-142  
binary vector spaces: 4:82-87  
bison: 6:18-32  
Bitterroot River, Montana: 4:68-81  
Black Hills, South Dakota: 6:33-48  
brook trout: 6:217-222, 6:232-248  
butyrycholinesterase: 1:1-15  
*Canis latrans*, see coyote  
*Castor canadensis*, see beaver  
catalysis: 2:35-39  
**Census:**  
    capture efficiency, 3:1-6  
    distance sampling (streams),  
        6:223-231  
    live trap, 2(2):10-16, 3:1-6  
    pitfall trap, 2(2):10-16, 3:1-6  
    Shannon diversity index, 2(2):10-16  
    snap trap, 2(2):10-16, 3:1-6  
    track surveys, 6:78-85  
*Cervus elaphus*, see elk  
cetyltrimethylammonium bromide:  
    1:37-43  
channel catfish: 5:28-34  
Charles M. Russell National Wildlife

Refuge, Montana: 6:57-67  
chlorofluorocarbons: 6:119-142  
chromatography: 1:44-52  
Clark Fork River, Montana: 2(2):17-26  
composted sewage sludge: 3:38-46  
computational complexity: 4:82-87  
Conservation Reserve Program:  
    2(2):10-16  
corticotropin releasing factor: 1:29-36  
cougar: 1:16-28  
**Coyote:**  
    bounties, 3:62-72  
    control, 3:62-72  
    density, 6:78-85  
    diets, 6:355-367  
    longevity, 3:62-72  
    prey, 6:355-367  
    survival, 3:62-72  
cutthroat trout: 217-222  
*Cygnus buccinator*, see trumpeter swan  
*Cyprinidae*, see minnows  
**Decarboxylase:**  
    amino acid decarboxylase (AADC),  
        6:95-101  
decarboxylation, 2:35-39  
**Deer:**  
    mule deer, 2:1-7, 3:62-72  
    white-tailed deer, 2:1-7, 3:87-93  
**Deer mice:**  
    abundance, 2(2):10-16  
    habitat relations, 3:117-124, 5:12-22  
differential adjustment: 3:131-142  
discriminant functions: 3:47-53  
Douglas-fir: 2:1-7  
Ephemeroptera: 6:178-196  
electrical conductivity: 1:37-43  
electrogravimetric analysis: 4:50-55  
electrolysis: 4:50-55  
**Elk:**  
    browsing, 4:57-67, 6:49-55  
    effects of ecosystem management,  
        2:1-7  
    interspecific interactions, 6:339-354  
    mortality, 6:86-94  
    population trends, 4:1-9  
    vulnerability, 6:86-94  
    winter range, 4:1-9

- environmental contaminants: 1:1-15  
 epinepherine: 1: 29-36  
 feedback iteration function: 2:16-25  
*Festuca idahoensis*, see Idaho fescue  
**Fisheries ecology:**  
     competition, 6:197-216  
     fish ecology, 6:10-17  
     fish passage, 6:232-248  
     introduced fish, 6:57-67  
     movements, 6:232-248  
     native fish, 6:57-67  
     prairie stream fishes, 6:57-67  
     redds, 6:223-231  
     spawning, 6:223-231  
     survival, 6:197-216, 6:232-248  
     winter research, 6:232-248  
**Fisheries management:**  
     angler response, 3:94-100, 6:68-77  
     electrofishing, 5:35-38  
     hatcheries, 6:197-216  
**Flathead Indian Reservation, Montana:**  
     4:33-49  
     fluid flow: 2:26-34  
     forensic anthropology: 3:47-53  
**Forestry:**  
     ecosystem management: 2:1-7  
     forest stand structure, 4:10-21  
     growth form: 4:57-67  
     landscape analysis, 4:10-21, 6:86-94  
     landscape ecology, 5:12-22  
     logging effects on song birds, 6:33-48  
     thinning treatment effects on small mammals, 5:12-22  
     geographical information systems (GIS): 5:23-27, 6:86-94, 6:178-196  
     golden eagle: 1:1-15  
**Grand Teton National Park, Wyoming:**  
     5:1-11  
**Great Plains:**  
     Crow Creek, Wyoming, 3:11-16  
     Laramie Plains Lakes, Wyoming, 3:73-81  
**Headwaters State Park, Montana:**  
     2(2):1-9  
     heavy metals: 1:1-15  
     Henry's Lake: 6:263-284  
**Henry's Fork of the Snake River, Idaho:** 6:103-332  
     aquatic resources, 6:312-332  
     bibliography, 6:312-332  
     consumer surplus, 6:285-292  
     economics, 6:106-118, 6:285-292  
     geography, 6:106-118  
     geomorphology, 6:159-177  
     hydrology, 6:119-142, 6:312-332  
     history of fisheries management, 6:263-284  
     landuse, 6:178-196  
     nonnative fish, 6:197-216  
     recreation, 6:285-292  
     watershed, 6:106-118, 6:178-196  
     watershed management, 6:293-311  
**Home range:**  
     fidelity, 3:62-72  
*Ictalurus punctatus*, see channel catfish  
**Idaho fescue:** 4:22-26  
**Immigration:**  
     Russian-Americans, 3:131-142  
     immiscible fluid: 2:26-34  
     incubation: 3:55-61  
     insulin replacement: 1: 29-36  
**Island Park Reservoir, Idaho:** 6:263-284  
     kinetics: 2:35-39  
*Lemmiscus curtatus*, see vole, sagebrush  
**Lewis' woodpecker:** 3:55-61  
     lichens: 2:1-7, 2(2):1-9, 3:82-86  
     light scattering: 1:37-43  
     limestone: 1:44-52  
     Liu pyramids: 2:16-25  
**Madison River, Montana:** 6:1-9  
*Machrybopsis gelida*, see sturgeon chub  
     macroinvertebrates: 3:11-16  
     magnetic float: 2:35-39  
     mass spectrometry: 1:44-52  
*Melanerpes lewis*, see Lewis' woodpecker  
     metal complexation: 3:38-46  
     micelles: 1:37-43, 3:101-106  
*Microtus spp.*, see voles  
     mine reclamation: 3:38-46  
     minnows: 6:10-17  
     miscible fluid: 2:26-34  
     Mississippian Lodgepole Formation: 1:44-52  
**Missouri River, Montana:**  
     fishery, 6:10-17, 6:68-77  
     monoid: 2: 16-25  
     natural resources: 6:293-311  
     normal alkanes: 1:44-52  
     noxious weeds: 6:368-369

- National Elk Refuge, Wyoming: 6:49-55  
NP-complete: 4:82-87  
nuclear magnetic resonance spectra: 3:101-106  
numerical wave propagation: 1:53-60  
*Odocoileus hemionus*, see deer, mule deer  
*Odocoileus virginianus*, see deer, white-tailed  
*Oncorhynchus clarki*, see cutthroat trout  
*O. c. bouvieri*, see Yellowstone cutthroat trout  
*O. mykiss*, see rainbow trout  
organochlorines: 1:1-15  
*Ovis canadensis*, see bighorn sheep  
paddlefish: 3:94-100, 5:35-38, 6:68-77  
peer mediation: 2:8-15  
*Peromyscus maniculatus*, see deer mice  
photo interpretation: 4:10-21  
pine, ponderosa: 2:1-7  
Plecoptera: 6:178-196  
*Polydon spatula*, see paddlefish  
*Populus tremuloides*, see aspen  
porous media: 2:26-34  
predation: 1:16-28, 3:62-72, 6:1-9  
propagule: 4:27-32  
*Pteronarcys californica*, see salmonflies  
**Public involvement:**  
communication, incentives, 6:293-311  
community building, 6:293-311  
cooperation, 6:293-311  
incentives, 6:293-311  
rainbow trout: 6:223-231, 6:232-248, 6:249-262, 6:263-284  
*Reithrodontomys megalotis*, see western harvest mice  
remote sensing: 4:10-21  
reptiles: 4:33-49  
**Riparian:**  
ecology, 6:159-177  
vegetation, 6:159-177  
**Rocky Mountains: 3:1-6**  
East Front, Montana, 3:17-37  
Bangtail Range, Montana, 4:22-26  
Jackson Hole, Wyoming, 6:49-55, 6:78-85, 6:355-367  
Laramie Range, Wyoming, 3:55-61  
Teton Range, Wyoming, 6:106-118  
salmonflies: 6:1-9  
*Salvelinus fontinalis*, see brook trout  
scat analysis: 6:355-367  
seed dissemination: 4:27-32  
selenium: 1:1-15  
shrews: 2(2)10-16  
silver sagebrush: 4:27-32  
small mammals: 2(2)10-16, 3:1-6, 3:117-124, 5:12-22  
Snake River, Wyoming: 5:1-11  
**Soils:**  
fertility, 4:22-26  
leaching, 4:22-26  
song birds: 5:1-11, 6:33-48  
*Sorex* spp., see shrews  
spectrophotmetric analysis: 4:50-55  
stable isotopes: 6:119-142  
*Stizostedion vitreum*, see walleye  
**Springs:**  
recharge, 6:119-142  
**Streams:**  
channel morphology, 6:143-158  
discharge, 3:82-86  
groundwater seepage impacts, 4:68-81  
morphology, 4:68-81  
peak flood, 3:82-86  
riparian corridor, 5:1-11  
spring-fed, 6:143-158, 6:159-177, 6:178-196  
streptozotocin: 1: 29-36  
sturgeon chub: 3:125-130  
suburban development: 6:78-85, 6:355-367  
surfactants: 2:35-39, 3:101-106  
*Tamias amoenus*, see yellow pine chipmunk  
**Terrestrial ecosystems:**  
browsing history, 4:57-67, 6:49-55  
food habits, 1:16-28, 6:355-367  
foraging, 3:55-61, 6:18-32  
forest openings, 3:87-93  
grazing influences, 3:17-37, 6:18-32  
habitat, 2:1-7, 3:1-6, 3:55-61  
habitat fragmentation, 6:33-47  
habitat security, 3:87-93, 6:86-94  
habitat selection, 1:16-28  
human disturbance, 5:1-11  
terrain ruggedness, 5:23-27  
vascular plants: 6:333-338  
Trichoptera: 6:178-196  
trumpeter swan: 6:249-262

- Ursus arctos*, see bear, grizzly  
visible spectra: 3:101-106
- Voles:** 2(2)10-16, 3:117-124  
    sagebrush vole, 3:117-124
- walleye: 3:7-10
- waterfowl: 3:73-81
- Water:**  
    management, 6:249-262  
    quality, 6:1-9, 6:312-332
- western harvest mice: 3:117-124
- Wildlife management:**  
    Montana Indian reservations,  
        3:107-115
- Northern Yellowstone elk herd, 4:1-9  
tribal law enforcement and criminal  
codes, 3:107-115
- Xanthoria elegans*, see lichens
- yellow pine chipmunk: 5:12-22
- Yellowstone cutthroat trout:** 6:263-284  
    population status, 6:197-216
- Yellowstone National Park: 4:1-9, 4:57-  
67, 6:18-32, 6:143-158
- Yellowstone River, Montana:**  
    paddle fishery, 3:94-100, 5:28-34
- Two Moon Park, 6:333-338, 6:368-369